Stone Woodworks

Door Order Form

Customer:

Job Name:

Туре	Material	Profiles			ity	Finished Dimensions		Hinge Include Position				Туре	Additional Instructions
		Outside	Inside	Panel	Quantity	Width	Height	None Bore	Bore/Hinge	Left Right Top	Bottom		hinges bored by default 3" OC from top and bottom for 1/2" overlay, and rails and stiles by default will be 2.5"
								00	\bigcirc	000	\bigcirc		
								$\circ \circ$	\bigcirc	000	0		
								$\circ \circ$	\bigcirc	000	0		
								$\circ \circ$	\bigcirc	000	0		
								$\circ \circ$	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	0	000	0		
								00	\bigcirc	000	0		
								00	\bigcirc	000	0		

* <u>Shaker doors:</u> leave all profiles blank

* <u>Slabs:</u> leave Inside & Panel profiles blank


* MDF doors: leave Material, Inside profile, & Panel profile columns blank

overlays are ½" doors rails & stiles are 2 ½" door

doors over 48" in height will have 2 panels doors over 40" in height will have 3 hinges panel grain is vertical on doors, horizontal on drawers, and slab drawer grain is horizontal

Stone Woodworks

```
Door Types
```



Stone Woodworks

